

5.2-Channel AV Receiver

VSX-534(B)



The VSX-534 comes in a user-friendly new design, with **12 % slimmer size than the previous model** for easy installation, **4K indicator**, and **Personal Preset and Bluetooth® Input buttons** on the front panel. Immerse in enveloping sound with Dolby Atmos® and DTS:X® audio formats. Or even without height or surround speakers, you can still enjoy virtual 3D surround effect with **Dolby Atmos Height Virtualizer*** and **DTS Virtual:X**. The AV receiver is compatible with Ultra HD, HDR10, HLG, and **Dolby Vision™** with support for HDCP 2.2, so you can fully appreciate premium content such as 4K videos.

AMPLIFICATION

- > Channels: 5
- > Amplification Type: Direct Energy
- > 150 W/ch (6 ohms, 1 kHz, THD 10 %, 1ch Driven)
- > 135 W/ch (6 ohms, 1 kHz, THD 1.0 %, 1ch Driven)

AUDIO FEATURES

- > Dolby Atmos®, Dolby Surround Upmixer
- > DTS:X®, DTS Neural:X® Upmixer
- > **Reflex Optimizer**
- > **Dolby Atmos Height Virtualizer***
- > **DTS Virtual:X**
- > Dolby® TrueHD, Dolby Digital Plus
- > DTS-HD Master Audio, DTS-HD High Resolution Audio, DTS 96/24, DTS-ES, DTS-HD Express
- > DSD Disc (SACD) Playback via HDMI (2.8 MHz/2ch, 5.1ch)
- > Digital Quad-Core 32-bit DSP (Cirrus Logic)
- > 384 kHz/32-bit D/A Conversion with AK4438 (AKM)
- > Audio Return Channel (ARC) on HDMI
- > MCACC Auto Room Tuning
 - Phase Control
 - Subwoofer EQ
- > Advanced Sound Retriever (2ch)
- > Advanced Surround Modes
 - Classical, Unplugged, Entertainment Show, Drama, Extended Stereo, Extended Mono, Front Stage Surround Advance

VIDEO FEATURES

- > Ultra HD Pass-through with HDCP 2.2 (4K/60p/4:4:4/24-bit, 4K/24p/4:4:4/36-bit, 4K/60p/4:2:0/36-bit)
- > HDR10, HLG and BT.2020 Wide Colour Gamut Signal Pass-through
- > **Dolby Vision Compatible**
- > Ultra HD Upscaling (1080p to 4K)
- > 3D Ready (Blu-ray Disc™, Broadcast, and Games)
- > Deep Colour (36-bit), "x.v. Colour"

CONVENIENCE FEATURES

- > **Personal Preset**
- > **Dialog Enhancement**
- > **Bluetooth® Wireless Technology** (Version: 4.2 + LE, Profile: A2DP 1.2/AVRCP 1.3, Codec: SBC/AAC) Built-in
- > **User-Friendly GUI with System Setup Menu**
- > **On-Screen Information for Audio/Video Status**
- > Auto Power Off in HDMI Standby Through
- > AM/FM Tuner 40 Presets
- > Sleep Timer
- > User-Friendly Simple Remote Control

FRONT TERMINALS

- > MCACC Setup MIC In
- > Phones 1 Out

REAR TERMINALS

- > HDMI 4 In (4 Assignable)
- > HDMI 1 Out
- > USB 1 In for Streaming Dongles
- > Audio 3 In (Assignable)
- > Digital Coaxial 1 In (Assignable)
- > Digital Optical 1 In (Assignable)
- > Subwoofer 2 Pre Out
- > **ZONE B Line Out for Wireless Headphones**
- > Speaker 5 ch Out (FRONT, CENTER, SURROUND/HEIGHT)
- > FM/AM Antenna

SPECIFICATIONS

- > Power Requirements: AC 220-240 V, 50/60 Hz
- > Power Consumption/Standby: 465 W/0.2 W
- > Dimensions (W x H x D): 435 x 148 x 321 mm
- > Weight: 8 kg

* Available with future firmware update

REAR PANEL



VSX-534(B) MMP

Dolby Atmos®/Dolby Surround Upmixing

The VSX-534 is compatible with 3.1.2ch configuration of the latest cinema sound platform, Dolby Atmos®. You can reproduce object-oriented sound in smooth, curving movements, or the realistic three-dimensional movement overhead by the top speakers. Other audio codecs such as PCM and DSD can be upmixed using Dolby Surround for enjoying 3D surround sound.



Dolby Atmos 3.1.2ch Speaker System



DTS:X®/DTS Neural:X Upmixing

DTS:X is the next-generation audio codec from DTS that leverages object-based audio to enable new immersive and interactive audio experiences. Since DTS:X can automatically adapt the audio to the existing channels and speaker system, no specific speaker layout is required. Experience an immersive soundscape with incredibly rich and life-like audio. Other audio codecs such as PCM and DSD can be upmixed using DTS Neural:X for enjoying 3D surround sound.



Dolby Atmos Height Virtualization*

When playing any Dolby format, engaging the Dolby Atmos Height Virtualizer enables a more immersive listening experience, creating a virtual surround and height effect from traditional speaker layouts without employing additional surround or height speakers.

* Function available with future firmware update


DTS Virtual:X

With DTS Virtual:X, you can enjoy a three-dimensional immersive sound similar to DTS:X, without the need of height or rear speakers. The technology supports 2 to 7.1.4-channel input source, for delivery on 2 to 5.1-channel speaker layout. DTS Virtual:X works with all DTS codecs, including DTS:X.



Next Generation Video Standard Ready

The VSX-534 supports pass-through for HDR10, HLG (Hybrid Log-Gamma), and Dolby Vision signals. By connecting a compatible source device, you can enjoy these latest video standards on a compatible display. What's more, all HDMI terminals support 4K (60p/4:4:4/24-bit), Wide Colour Gamut (BT.2020), and HDCP 2.2, so you will have no problem when upgrading to new devices, and can also enjoy premium content such as 4K videos with digital copy protection.



For illustration purpose only



•PIONEER, MCACC, Phase Control, Advanced Sound Retriever, and the logos are registered trademarks of Pioneer Corporation, and are used under license. •The terms HDMI and HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator Inc. in the United States and other countries. •Dolby, Dolby Atmos, Dolby Surround, Dolby Vision, and the double-D symbol are registered trademarks of Dolby Laboratories. •For DTS patents, see http://patents.dts.com. Manufactured under license from DTS, Inc. DTS, the Symbol, DTS and the Symbol together, DTS:X, Virtual:X, the DTS:X logo, and the DTS Virtual:X logo are registered trademarks or trademarks of DTS, Inc. in the United States and/or other countries. © DTS, Inc. All Rights Reserved. •The *Bluetooth®* word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. •"x.v.Colour" is a trademark of Sony Corporation. •Blu-ray Disc™, Blu-ray™, Ultra HD Blu-ray™ and the logos are trademarks of the Blu-ray Disc Association.